=> d his

(FILE 'HOME' ENTERED AT 08:58:01 ON 07 JUL 2003) FILE 'REGISTRY' ENTERED AT 08:58:20 ON 07 JUL 2003 1 S 145985-68-8 I.1 0 S 145985-69-5 1.2 1 S 145985-69-9 L3 1 S 256234-11-4 L41 S 256234-12-5 L_5 FILE 'CA' ENTERED AT 09:00:38 ON 07 JUL 2003 S 145985-68-8/REG# OR 145985-69-9/REG# OR 256234-11-4/REG# OR FILE 'REGISTRY' ENTERED AT 09:01:34 ON 07 JUL 2003 1 S 256234-12-5/RN 1.6 FILE 'CA' ENTERED AT 09:01:35 ON 07 JUL 2003 2 S L6 L7 FILE 'REGISTRY' ENTERED AT 09:01:35 ON 07 JUL 2003 1 S 256234-11-4/RN L8 FILE 'CA' ENTERED AT 09:01:35 ON 07 JUL 2003 L9 1 S L8 FILE 'REGISTRY' ENTERED AT 09:01:36 ON 07 JUL 2003 1 S 145985-69-9/RN L10 FILE 'CA' ENTERED AT 09:01:36 ON 07 JUL 2003 L11 3 S L10 FILE 'REGISTRY' ENTERED AT 09:01:37 ON 07 JUL 2003 1 S 145985-68-8/RN L12 FILE 'CA' ENTERED AT 09:01:37 ON 07 JUL 2003 L13 3 S L12 4 S L13 OR L11 OR L9 OR L7 L14 1031506 S LIPASE OR ESTERASE OR HYDROLASE OR PROTEASE OR ENZYM? L15 2 S L15 AND L14 L16 FILE 'USPATFULL' ENTERED AT 09:03:05 ON 07 JUL 2003 L17 156324 S L15 0 S 145985-68-8 OR 145985-69-9 OR 256234-11-4 OR 256234-12-5 L18 12708 S DIOXOLAN? L19 L20 2949 S L19 AND L17 30321 S DIASTEREOMER OR STEREOISOMER OR ANOMER? L21 1487 S L21 AND L20 L221341 S L21 (P) L17 L23 98 S L23 AND L19 L24FILE 'WPIDS' ENTERED AT 09:21:00 ON 07 JUL 2003 1743 S DIOXOLAN L25 L26 81653 S L15 44 S L25 AND L26 L27 4166 S NUCLEOSIDE L28

FILE 'USPATFULL' ENTERED AT 09:27:46 ON 07 JUL 2003

FILE 'WPIDS' ENTERED AT 09:27:50 ON 07 JUL 2003

6 S L27 AND L28

L29

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	3.50	174.92
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-2.48

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 09:28:11 ON 07 JUL 2003

IT 9073-78-3, Thermolysin RL: CAT (Catalyst use):

RL: CAT (Catalyst use); USES (Uses)

(type X; protease-mediated sepn. of cis and trans diastereomers of (R,S)-benzyloxymethyl-(S)-carboxylic acid dioxolane Me ester)

(protease-mediated sepn. of cis and trans diastereomers of (R,S)-benzyloxymethyl-(S)-carboxylic acid dioxolane Me ester)

(stereoselective synthesis of nucleoside analogs) 9001-62-1, Lipase 9001-92-7, Protease 9004-02-8, Lipoprotein lipase IT 9004-07-3, .alpha.-Chymotrypsin 9013-79-0, Esterase 9014-01-1, 9026-00-0, Cholesterol esterase Subtilisin RL: CAT (Catalyst use); USES (Uses) (stereoselective synthesis of nucleoside analogs) 145918-75-8P RL: PRP (Properties); PUR (Purification or recovery); SPN (Synthetic preparation); PREP (Preparation) (stereoselective synthesis of nucleoside analogs) 192581-80-9P 192581-83-2P 288162-71-0P RL: PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (stereoselective synthesis of nucleoside analogs) 14631-20-0D, N-Acetylcytosine, persilated 312-84-5, D-Serine 127657-97-0 192581-99-0 288162-72-1 288162-73-2 RL: RCT (Reactant); RACT (Reactant or reagent) (stereoselective synthesis of nucleoside analogs) 6000-40-4P, D-Glyceric acid 18289-89-9P, D-Glyceric acid methyl ester 192581-70-7P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (stereoselective synthesis of nucleoside analogs) THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD RE.CNT ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

```
ANSWER 1 OF 8 CA COPYRIGHT 2003 ACS
L1
AN
     133:163121 CA
     Stereoselective synthesis of nucleoside analogues
ΤI
     Cimpoia, Alex; Janes, Lana; Kazlauskas, Romas
TN
     Biochem Pharma Inc., Can.
PΑ
SO
     PCT Int. Appl., 80 pp.
     CODEN: PIXXD2
DT
     Patent
     English
LA
FAN.CNT 1
                     KIND DATE
                                          APPLICATION NO. DATE
     PATENT NO.
     WO 2000047759
                     A1
                            20000817
                                           WO 2000-CA144
                                                            20000211
PΤ
         W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
             CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
             MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
             SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                      A1 20011107
     EP 1151133
                                     EP 2000-904756
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
                                           JP 2000-598654
                      T2
                                                            20000211
     JP 2002538780
                            20021119
PRAI US 1999-119756P
                       Р
                            19990211
     US 1999-119885P
                     P
                            19990212
                       W
                            20000211
     WO 2000-CA144
os
     MARPAT 133:163121
AB
     The present invention provides a process for making stereochem. pure
     dioxolane nucleoside analogs. The process includes the use of hydrolytic
     enzymes for sepg. .beta. and .alpha. anomers from an anomeric mixt.
     represented by formula (I) or formula (II) wherein W is benzyl or benzoyl
     and R1 is selected from the group consisting of C1-6 alkyl and C6-15 aryl.
IC
     ICM C12P041-00
CC
     16-2 (Fermentation and Bioindustrial Chemistry)
ST
     stereospecific nucleoside analog enzyme synthesis resoln
IT
     Nucleoside analogs
     RL: BPN (Biosynthetic preparation); PUR (Purification or recovery); RCT
     (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP
     (Preparation); RACT (Reactant or reagent)
        (stereoselective synthesis of nucleoside analogs)
IT
                   288162-70-9P
     256234-12-5P
     RL: BMF (Bioindustrial manufacture); BPN (Biosynthetic preparation); PRP
     (Properties); PUR (Purification or recovery); BIOL (Biological study);
     PREP (Preparation)
        (stereoselective synthesis of nucleoside analogs)
                                                 288162-74-3P
IT
     188292-13-9P
                    280138-66-1P
                                   280138-67-2P
                                                                 288162-75-4P
                    288162-77-6P
     288162-76-5P
     RL: BPN (Biosynthetic preparation); PUR (Purification or recovery); RCT
     (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP
     (Preparation); RACT (Reactant or reagent)
        (stereoselective synthesis of nucleoside analogs)
IT
                   288162-79-8P
                                   288162-80-1P
                                                  288162-81-2P
                                                                 288162-82-3P
     288162-78-7P
                                   288162-85-6P
                   288162-84-5P
                                                  288162-86-7P
     288162-83-4P
     RL: BPN (Biosynthetic preparation); PUR (Purification or recovery); SPN
     (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
        (stereoselective synthesis of nucleoside analogs)
IT
     288162-69-6
     RL: BPR (Biological process); BSU (Biological study, unclassified); RCT
     (Reactant); BIOL (Biological study); PROC (Process); RACT (Reactant or
     reagent)
                                              BEST AVAILARY TOOPY
```